



ENVIRONMENTAL HEALTH & SAFETY | RADIATION SAFETY

and

COMMITTEE ON IONIZING RADIATION

OFFICE OF THE ASSISTANT VICE CHANCELLOR FOR REGULATORY COMPLIANCE

Application to Use Cs-137 Irradiator

FOR EHS USE ONLY
CIR application no.

Submit completed form – *typed only, not handwritten* -- to radappnh@ucdenver.edu.

Incomplete applications will be rejected.

I. PI Information

PI: _____ Phone: _____ Mail Stop: _____

Faculty position: _____ Department: _____

II. Training

Irradiator Operator Name	Date Completed			
	Radiation Worker Part I Training	Radiation Worker Part II Training	PI Radiation Training	Irradiator Operator Training

III. T&R Consent

FOR EHS USE ONLY			
	T&R Consent Form Date	T&R Official Reviewer	
		Name	Date Signed

IV. Description

Include relevant information such as estimated dose, proposed irradiating time, frequency of use, type of specimen (e.g., mice, cells, etc.), specimen transport steps, safety precautions (e.g., waiting area during irradiation, whether PI will be present), intended accomplishment, and other relevant information regarding irradiator use.

By my signature, below, I agree that the use of the irradiator as a result of this application will be only as specified above, and in accordance with the guidelines of the EHS Radiation Safety Manual, as well as all other applicable university policies and procedures, the University Radioactive Materials License, and state and federal regulations.

PI Signature: _____ Date: _____