



ENVIRONMENTAL HEALTH & SAFETY | RADIATION SAFETY

and

COMMITTEE ON IONIZING RADIATION

OFFICE OF THE ASSISTANT VICE CHANCELLOR FOR REGULATORY COMPLIANCE

RAM Renewal Application – Human Use

FOR EHS USE ONLY

HuCIR application no.

Submit completed form – *typed only, not handwritten* -- to radappnh@ucdenver.edu.

I. PI Information

PI: _____ Phone: _____

Faculty position: _____ Department: _____

Co-Investigator: _____ Phone: _____

Faculty position: _____ Department: _____

II. Authorization Information

Current Authorization no.: _____ Radionuclide: _____

Compound(s): _____ Type of Use/Assay: _____

Building of use: _____ Room number(s): _____

Approval numbers:

COMIRB _____ RDRC _____ CTRC _____

University of Colorado Hospital Radiation Safety Committee _____

III. Radioactivity

Use per experiment: _____ mCi Experiments/month: _____ Use per month: _____ mCi

Possession limit (~2 x monthly): _____ mCi Yearly limit (~12 x monthly): _____ mCi

IV. Workers

1. _____ 2. _____ 3. _____

4. _____ 5. _____ 6. _____

V. Experiment Description

Include handling steps, waste generated, and any modifications from previous protocols.

By my signature below, I agree that all radioactive materials procured as a result of this application will be used only as specified above, and in accordance with the guidelines stated in the EHS Radiation Safety Manual, as well as all other application university policies and procedures, the university radioactive materials license, and state and federal regulations.

Signature: _____ Date: _____